

Coastal Jibs 2025 Product Catalog © Coastal Jibs. 2025

Printing: Précigrafik

Graphic Design: Myriam Lemire 3D modules: Brendan O'Brien Editing: Mathieu Martel

Any reproduction, printing, or adaptation of this publication, by any means, whether electronic, mechanical, photographic or microfilm, is prohibited without prior permission of Coastal Jibs Inc.

For over 19 years, Coastal Jibs has built a strong reputation within the ski industry. This acquired experience now allows us to take on a new challenge: To offer a complete line of products specifically designed for bike parks and flow trails.

From day one, our constant drive to improve our products and services has never stopped and has helped up develop a large number of satisfied clients. We intend to build on this success with our summer catalog while continuing to exceed your expectations in product quality and safety.

Thanks to everyone involved in the beginning of this great adventure!





QUALITY

At Coastal Jibs, we put our heart and soul into creating a premium quality product. We pay close attention to detail and to the safety of mountain bikers. All of our products are carefully manufactured and inspected in our Sherbrooke (Quebec) workshop to ensure the highest level of quality and safety.




WARRANTY

Coastal Jibs offers a 5-year limited warranty on all of its products.

* This warranty does not apply to any failure, damage or defect caused by the installation, use or maintenance of the product by the buyer, its employees, customers, users, successors or assigns.

TECHNICAL OVERVIEW

Everything is in the details





FLAT

Width: 16" | 24" | 36" | 48" Length: 4' | 6' | 8' | 12' | 16'

Height: 5"

SKINNY FLAT

Width: 6"

Length: 8' | 12' | 16' Height: 3'' 1/4





FLAT CURVE 90°

Width: 16" | 24" | 36" | 48" Length x Depth: 9' x 9'

Height: 5"

FLAT CURVE 180°

Width: 16" | 24" | 36" | 48" Length x Depth: 16' x 9'

Height: 5"





#FC90G

ROOFTOP

Width: 16" | 24" | 36" | 48"

Length x Height:

8' x 12'' | 12' x 17'' | 16' x 24'' | 20' x 32''

SPEED BUMP

Width: 16" | 24" | 36" | 48"

Length x Height:

10' x 12" | 14' x 17" | 16' x 24" | 20' x 32"





#SBG

dII[8

RAINBOW

Width: 16" | 24" | 36" | 48"

Length x Height:

8' x 12" | 12' x 17" | 16' x 24" | 24' x 32"



ROLLER

Width: 16" | 24" | 36" | 48"

Length x Height:

26' x 17'' | 32' x 24'' | 35' x 32''



SNAKE

Width: 16" | 24" | 36" | 48"

Length: 26' Height: 5"



BANK SNAKE

Width: 16" | 24" | 36" | 48"

Length: 33'

Height: 0" – 10" – 0"



#BT180G

BATTLESHIP

Width: 16" | 24" | 36" | 48"

Length x Height:

12' x 12" | 16' x 17" | 22' x 24"



#BAG

TEETER TOTTER

Width: 16" | 24" Length x Height:

8' x 12" | 12' x 24" | 16' x 32"



BANK TURN 90°

Width: 24" | 36" | 48" Length x Depth: 12' x 12' Height: 0" - 10" - 0"



#BT90G

BANK TURN 180°

Width: 24" | 36" | 48" Length x Depth: 24' x 12' Height: 0" - 20" - 0"



#BT180G

ELBOW

Width: 16" | 24" | 36" | 48"

Length: 20' Height: 5"



ZIG-ZAG

#SKG

Width: 16" | 24" | 36" | 48"

Length: 30' Height: 5"



#ZZG



#ELG

dII[8



ENTRY / EXIT RAMPS

CAPTION:

O: Pivot mounted ramp. Simplifies installation and adjustment. It is also easier to maintain the transition between the ground and the ramp when the feature is installed on a dirt surface.

F: Fixed height ramp. These entry ramps are recommended for modules installed on stabilized soil (ex: asphalt, rock dust).

FUNNEL RAMP®

3' x 12" | 5' x 24" | 7' x 32"

FLAT RAMP °

Length x Height:



Length x Height:



CUR VED RAMP° GROUND RAMP F

Length x Height:

3' x 12" | 5' x 24" | 7' x 32"



Length x Height: 1' x 5"

Note: Gives access to a feature installed on the ground.



ROOFTOP GROUND F

Length x Height:

3' x 12" | 7' x 24" | 10' x 32"



SPEED BUMP GROUND F

Length x Height:

5' x 12" | 8' x 24" | 10' x 32"



RAINBOW GROUND F

Length x Height:

4' x 12" | 8' x 24" | 10' x 32"



BATTLESHIP GROUND F

Length x Height:

4' x 12" | 10' x 24" | 12' x 32"



OPTION: RAMP ACCESS

Note: Allows for a smooth transition between the ground and the first plank for small wheels.



12

ATT8



FLAT



FLAT CURVE

Angle x Length: 30° × 10′ | 45° × 10′ | 90° × 10′



BANK TURN

Angle x Length x Incline:

45° x 9′ x 12° | 90° x 17′ x 20° Note: Right and left versions available.



ELBOW

Angle x Length: 30° x 2'



#EL

ROOFTOP

Length x Height:

4' x 12" | 6' x 20" | 8' x 26"



SPEED BUMP

Length x Height:

5' x 12" | 8' x 20" | 9' x 26"



Y JUNCTION

Angle: 30°

Length:

3' (116") | 5' (124") | 7' (136") | 8' (148") Note: Right and left versions available.



V JUNCTION

Length: 12"

#BT



RAINBOW

Length x Height: 6' x 7" | 10' x 12"



ROCKER

#RT

Length x Height: 6' x 7" | 10' x 12"



ON / OFF


Length: 12"



JUNCTION & GROUND ANCHORING

Note: Allows you to join 2 sections together and anchor them to the ground.





FLAT DROP Width: 24" Length: 14' Height: 24" 2 pieces



LONG SPEED BUMP

Width: 36" Length: 24' Height: 36"





Length: 27'
Height: 32''
4 pieces

#FD



CAMEL 3X

Width: 36" Length: 51' Height: 32" 6 pieces

PEAK TRAIL



#CX3 #PTR

dIIB

#TBTP

BUMPY ROAD

Width: 24" Length: 38' Height: 32"



DOUBLE PEAK

Width: 24" Length: 43' Height: 32"



PODIUM Width: 24" Length: 24' Height: 24" 3 pieces #PD

ZIG-ZAG

Width: 24" Length: 47' Height: 24"



BIG SNAKE

Width: 24" Length: 43' Height: 24" 4 pieces





5 pieces



DECISION MAKER

Width: 24"
Length: 30' x 19'
Height: 12"
8 pieces



CHICKEN DROP

Width: 24"
Length: 29'
Height: 32"
6 pieces

#CD

ROCKET ROCKER

Width: 48"
Length: 28'
Height: 24"
5 pieces

#RORO

#DM

dIIB



DROP / LAUNCH

3 sizes: S | M | L

Width: 16" | 24" | 36" | 48"

Length x Height: 8' x 30" | 12' x 44" | 16' x 60" Note: 2 configurations with the same feature, drop or launch.



DIRT JUMP KICK

3 sizes: S | M | L Width: 48" | 72"

Length x Height: 9' x 43" | 10' x 55" | 11' x 71"

Take Off Angle: 39° | 46° | 52°



MOUNTAIN BIKE KICK

3 sizes: S | M | L Width: 36" | 48" | 72"

Length x Height: 6' x 17" | 7' x 24" | 8' x 31"

Take Off Angle: 20° | 25° | 30°



dIII8

dIII8

WALL RIDE

Length: 16' Height: 68" Incline: 70° 2 pieces



CURVED WALL RIDE

Length: 27' Height: 68" Incline: 70° Curve Angle: 60° 4 pieces



Note: Possibility of adding additional sections

#WC

WALL RIDE SAFETY ENTRY

Length: 7' Height: 68" Incline: 70° Optional entry added for more safety.



WALL RIDE STD ENTRY

Note: Default entry included with wall ride.



#WCE



Width: 48" Length: 25' Height: 32" 3 pieces



BELUGA

2 sizes: S | L Width: 48" **Length:** 19' | 30' Height: 52" | 70"

1 piece (Kicker is optional)



STEP-UP PAD

Width: 48" Length: 18' Height: 32"

2 pieces (Kicker is optional)



#BU

dIII8

BRIDGE AND OVERPASS

The solution for all your streams and trail crossings. Choose between our bridges and overpasses depending on the width and length needed.

Our bridges and overpasses can be delivered ready-to-assemble or fully assembled.

BRIDGE

Width*: 36" | 48" | 60" Length: 6' | 8' | 10' | 12'

* Add 46" in width at top of railings Note: compatible with our ajustable legs.



OVERPASS

Width*: 60" | 72" Length: 12' | 15' | 20'

* Add 46" in width at top of railings




ACCESSORIES ACCESSORIES

BIKE RACK

Note: Steel frame.

BENCH

Note: Aluminum frame.



SINGLE SIGN FRAME

Note: Aluminum frame.

MULTI SIGN FRAME


Note: Aluminum frame. Custom design available.





#MSF

#BCH | #BCHB



OG

Width: 9" Length: 49"

The Swiss Army knife of all tools. Want to carry just one tool? This is the one for you!

AB1

Width: 13" **Length:** 49"

A high precision multi-function tool.





BR1

Width: 13 3/4" Length: 55"

The rake reinvented Beaver-style. No more crooked garden rake teeth. Unbeatable efficiency.

Steel head

All Beaver tools are handcrafted in Quebec, Canada, using special high strength, abrasion resistant and high resiliency steel for unparalleled durability.

Wooden handle


The handle is made of Canadian hardwood for high resistance and shock absorption to the user.





TOOLS

JII8







WE BUILD WHAT YOU RIDE

SUMMER 2025

1819 238-5427

mail@coastaljibs.ca

www.coastaljibs.ca

4085 rue Lesage, Sherbrooke (QC) J1L 2Z9 Canada



